





Tandremskiver - metriske - T2,5/T5/AT5



Materiale: Aluminium 6082 T6 UNI 9006/4



T2,5 Deling: 2,5mm

Type	Antal tænder	Rem-bredde	Type se s. 76	Dp	De	Df	Dm	F	L	d
16-T2,5-12/2	12	6	1F	9,6	9	13	6	9	16	4
16-T2,5-14/2	14	6	1F	11,2	10,6	15	8	9	16	4
16-T2,5-15/2	15	6	1F	12	11,4	15	8	9	16	4
16-T2,5-16/2	16	6	1F	12,8	12,2	16	9,5	9	16	4
16-T2,5-18/2	18	6	6F	14,4	13,8	17,5	10	10	16	4
16-T2,5-19/2	19	6	6F	15,2	14,6	18	10	10	16	4
16-T2,5-20/2	20	6	6F	16	15,4	20	10,5	10	16	4
16-T2,5-22/2	22	6	6F	17,6	17	23	11	10	16	4
16-T2,5-24/2	24	6	6F	19,15	18,55	23	12	10	16	4
16-T2,5-25/2	25	6	6F	19,95	19,35	23	13	10	16	4
16-T2,5-26/2	26	6	6F	20,75	20,15	25	14	10	16	4
16-T2,5-28/2	28	6	6F	22,35	21,75	25	14	10	16	4
16-T2,5-30/2	30	6	6F	23,95	23,35	28	16	10	16	6
16-T2,5-32/2	32	6	6F	25,95	24,95	32	16	10	16	6
16-T2,5-36/2	36	6	6F	28,75	28,1	36	20	10	16	6
16-T2,5-40/2	40	6	6F	31,9	31,3	38	22	10	16	6
16-T2,5-44/0	44	6	6F	35,1	34,5	42	24	10	16	6
16-T2,5-48/0	48	6	6	38,3	37,7	-	26	10	16	6
16-T2,5-60/0	60	6	6	47,85	47,25	-	34	10	16	8

T5/AT5 Deling: 5mm

Type	Antal tænder	Rem-bredde	Type se s. 76	Dp	De	Df	Dm	F	L	d
21-(A)T5-10/2	10	10	6F	16,05	15,05	20	8	15	21	4
21-(A)T5-12/2	12	10	6F	19,25	18,25	23	11	15	21	4
21-(A)T5-14/2	14	10	6F	22,45	21,45	25	13	15	21	4
21-(A)T5-15/2	15	10	6F	24,05	23,05	28	16	15	21	6
21-(A)T5-16/2	16	10	6F	25,06	24,6	32	18	15	21	6
21-(A)T5-18/2	18	10	6F	28,8	27,8	32	20	15	21	6
21-(A)T5-19/2	19	10	6F	30,4	29,4	36	22	15	21	6
21-(A)T5-20/2	20	10	6F	32	31	36	23	15	21	6
21-(A)T5-22/2	22	10	6F	35,15	34,15	38	24	15	21	6
21-(A)T5-24/2	24	10	6F	38,4	37,4	42	26	15	21	6
21-(A)T5-25/2	25	10	6F	39,95	38,95	44	26	15	21	6
21-(A)T5-26/2	26	10	6F	41,6	40,6	44	26	15	21	6
21-(A)T5-27/2	27	10	6F	43,2	42,2	48	30	15	21	8
21-(A)T5-28/2	28	10	6F	44,75	43,75	48	32	15	21	8
21-(A)T5-30/2	30	10	6F	47,95	46,95	51	34	15	21	8
21-(A)T5-32/2	32	10	6F	51,1	50,1	54	38	15	21	8



Tandremskiver - T5/T10/AT5/AT10

T5/AT5 Deling: 5mm

Type	Antal tænder	Rem-bredde	Type se s. 76	Dp	De	Df	Dm	F	L	d
21-(A)T5-36/2	36	10	6F	57,45	56,45	64	38	15	21	8
21-(A)T5-40/2	40	10	6F	63,85	62,85	66	40	15	21	8
21-(A)T5-42/2	42	10	6F	67	66	70	40	15	21	8
21-(A)T5-44/0	44	10	6	70,2	69,2	-	45	15	21	8
21-(A)T5-48/0	48	10	6	76,55	75,55	-	50	15	21	8
21-(A)T5-60/0	60	10	6	95,65	94,65	-	65	15	21	8
27-(A)T5-10/2	10	16	6F	16,05	15,05	20	8	21	27	4
27-(A)T5-12/2	12	16	6F	19,25	18,25	23	11	21	27	4
27-(A)T5-14/2	14	16	6F	22,45	21,45	25	13	21	27	4
27-(A)T5-15/2	15	16	6F	24,05	23,05	28	16	21	27	6
27-(A)T5-16/2	16	16	6F	25,06	24,6	32	18	21	27	6
27-(A)T5-18/2	18	16	6F	28,8	27,8	32	20	21	27	6
27-(A)T5-19/2	19	16	6F	30,4	29,4	36	22	21	27	6
27-(A)T5-20/2	20	16	6F	32	31	36	23	21	27	6
27-(A)T5-22/2	22	16	6F	35,15	34,15	38	24	21	27	6
27-(A)T5-24/2	24	16	6F	38,4	37,4	42	26	21	27	6
27-(A)T5-25/2	25	16	6F	39,95	38,95	44	26	21	27	6
27-(A)T5-26/2	26	16	6F	41,6	40,6	44	26	21	27	6
27-(A)T5-27/2	27	16	6F	43,2	42,2	48	30	21	27	8
27-(A)T5-28/2	28	16	6F	44,75	43,75	48	32	21	27	8
27-(A)T5-30/2	30	16	6F	47,95	46,95	51	34	21	27	8
27-(A)T5-32/2	32	16	6F	51,1	50,1	54	38	21	27	8
27-(A)T5-36/2	36	16	6F	57,45	56,45	64	38	21	27	8
27-(A)T5-40/2	40	16	6F	63,85	62,85	66	40	21	27	8
27-(A)T5-42/2	42	16	6F	67	66	70	40	21	27	8
27-(A)T5-44/0	44	16	6	70,2	69,2	-	45	21	27	8
27-(A)T5-48/0	48	16	6	76,55	75,55	-	50	21	27	8
27-(A)T5-60/0	60	16	6	95,65	94,65	-	65	21	27	8
36-(A)T5-10/2	10	25	6F	16,05	15,05	20	8	30	36	4
36-(A)T5-12/2	12	25	6F	19,25	18,25	23	11	30	36	4
36-(A)T5-14/2	14	25	6F	22,45	21,45	25	13	30	36	4
36-(A)T5-15/2	15	25	6F	24,05	23,05	28	16	30	36	6
36-(A)T5-16/2	16	25	6F	25,06	24,6	32	18	30	36	6
36-(A)T5-18/2	18	25	6F	28,8	27,8	32	20	30	36	6
36-(A)T5-19/2	19	25	6F	30,4	29,4	36	22	30	36	6
36-(A)T5-20/2	20	25	6F	32	31	36	23	30	36	6
36-(A)T5-22/2	22	25	6F	35,15	34,15	38	24	30	36	6
36-(A)T5-24/2	24	25	6F	38,4	37,4	42	26	30	36	8
36-(A)T5-25/2	25	25	6F	39,95	38,95	44	26	30	36	8
36-(A)T5-26/2	26	25	6F	41,6	40,6	44	26	30	36	8
36-(A)T5-27/2	27	25	6F	43,2	42,2	48	30	30	36	8
36-(A)T5-28/2	28	25	6F	44,75	43,75	48	32	30	36	8
36-(A)T5-30/2	30	25	6F	47,95	46,95	51	34	30	36	8
36-(A)T5-32/2	32	25	6F	51,1	50,1	54	38	30	36	8
36-(A)T5-36/2	36	25	6F	57,45	56,45	64	38	30	36	8
36-(A)T5-40/2	40	25	6F	63,85	62,85	66	40	30	36	8
36-(A)T5-42/2	42	25	6F	67	66	70	40	30	36	8
36-(A)T5-44/0	44	25	6	70,2	69,2	-	45	30	36	8
36-(A)T5-48/0	48	25	6	76,55	75,55	-	50	30	36	8
36-(A)T5-60/0	60	25	6	95,65	94,65	-	65	30	36	8

T10/AT10 Deling: 10mm

Type	Antal tænder	Rem-bredde	Type se s. 76	Dp	De	Df	Dm	F	L	d
31-(A)T10-12/2	12	16	6F	38,35	36,35	42	28	21	31	6
31-(A)T10-14/2	14	16	6F	44,7	42,7	48	32	21	31	8
31-(A)T10-15/2	15	16	6F	47,9	45,9	51	32	21	31	8
31-(A)T10-16/2	16	16	6F	51,1	49,1	54	35	21	31	8
31-(A)T10-18/2	18	16	6F	57,45	55,45	60	40	21	31	8
31-(A)T10-19/2	19	16	6F	60,65	58,65	66	44	21	31	8
31-(A)T10-20/2	20	16	6F	63,8	61,8	66	46	21	31	8
31-(A)T10-22/2	22	16	6F	70,2	68,2	75	52	21	31	8

Se hele programmet samt aktuelle lagertal på www.klee.dk

Tandremskiver - T10/AT10



T10/AT10 Deling: 10mm

Type	Antal tænder	Rem-bredde	Type se s. 76	Dp	De	Df	Dm	F	L	d
31-(A)T10-24/2	24	16	6F	76,55	74,55	83	58	21	31	8
31-(A)T10-25/2	25	16	6F	79,75	77,7	83	60	21	31	8
31-(A)T10-26/2	26	16	6F	82,9	80,9	87	60	21	31	8
31-(A)T10-27/2	27	16	6F	86,1	84,1	91	60	21	31	8
31-(A)T10-28/2	28	16	6F	89,25	87,25	93	60	21	31	8
31-(A)T10-30/2	30	16	6F	95,65	93,65	97	60	21	31	8
31-(A)T10-32/2	32	16	6F	102	100	106	65	21	31	10
31-(A)T10-36/2	36	16	6F	114,75	112,75	120	70	21	31	10
31-(A)T10-40/2	40	16	6F	127,45	125,45	131	80	21	31	10
31-(A)T10-44/0	44	16	6	140,2	138,2	-	88	21	31	10
31-(A)T10-48/0	48	16	6	152,95	150,95	-	95	21	31	16
31-(A)T10-60/0	60	16	6	191,15	189,1	-	110	21	31	16
40-(A)T10-12/2	12	25	6F	38,35	36,35	42	28	30	40	6
40-(A)T10-14/2	14	25	6F	44,7	42,7	48	32	30	40	8
40-(A)T10-15/2	15	25	6F	47,9	45,9	51	32	30	40	8
40-(A)T10-16/2	16	25	6F	51,1	49,1	54	35	30	40	8
40-(A)T10-18/2	18	25	6F	57,45	55,45	60	40	30	40	8
40-(A)T10-19/2	19	25	6F	60,65	58,65	66	44	30	40	8
40-(A)T10-20/2	20	25	6F	63,8	61,8	66	46	30	40	8
40-(A)T10-22/2	22	25	6F	70,2	68,2	75	52	30	40	8
40-(A)T10-24/2	24	25	6F	76,55	74,55	83	58	30	40	8
40-(A)T10-25/2	25	25	6F	79,75	77,7	83	60	30	40	8
40-(A)T10-26/2	26	25	6F	82,9	80,9	87	60	30	40	8
40-(A)T10-27/2	27	25	6F	86,1	84,1	91	60	30	40	8
40-(A)T10-28/2	28	25	6F	89,25	87,25	93	60	30	40	8
40-(A)T10-30/2	30	25	6F	95,65	93,65	97	60	30	40	8
40-(A)T10-32/2	32	25	6F	102	100	106	65	30	40	10
40-(A)T10-36/2	36	25	6F	114,75	112,75	120	70	30	40	10
40-(A)T10-40/2	40	25	6F	127,45	125,45	131	80	30	40	10
40-(A)T10-44/0	44	25	6	140,2	138,2	-	88	30	40	10
40-(A)T10-48/0	48	25	6	152,95	150,95	-	95	30	40	16
40-(A)T10-60/0	60	25	6	191,15	189,1	-	110	30	40	16
47-(A)T10-18/2	18	32	6F	57,45	55,45	60	40	37	47	10
47-(A)T10-19/2	19	32	6F	60,65	58,65	66	44	37	47	10
47-(A)T10-20/2	20	32	6F	63,8	61,8	66	46	37	47	12
47-(A)T10-22/2	22	32	6F	70,2	68,2	75	52	37	47	12
47-(A)T10-24/2	24	32	6F	76,55	74,55	83	58	37	47	12
47-(A)T10-25/2	25	32	6F	79,75	77,7	83	60	37	47	12
47-(A)T10-26/2	26	32	6F	82,9	80,9	87	60	37	47	12
47-(A)T10-27/2	27	32	6F	86,1	84,1	91	60	37	47	12
47-(A)T10-28/2	28	32	6F	89,25	87,25	93	60	37	47	12
47-(A)T10-30/2	30	32	6F	95,65	93,65	97	60	37	47	12
47-(A)T10-32/2	32	32	6F	102	100	106	65	37	47	12
47-(A)T10-36/2	36	32	6F	114,75	112,75	120	70	37	47	16
47-(A)T10-40/2	40	32	6F	127,45	125,45	131	80	37	47	16
47-(A)T10-44/0	44	32	6	140,2	138,2	-	88	37	47	16
47-(A)T10-48/0	48	32	6	152,95	150,95	-	95	37	47	16
47-(A)T10-60/0	60	32	6	191,1	189,1	-	110	37	47	16
66-(A)T10-18/2	18	50	6F	57,45	55,45	60	40	56	66	10
66-(A)T10-19/2	19	50	6F	60,65	58,65	66	44	56	66	10
66-(A)T10-20/2	20	50	6F	63,8	61,8	66	46	56	66	12
66-(A)T10-22/2	22	50	6F	70,2	68,2	75	52	56	66	12
66-(A)T10-24/2	24	50	6F	76,55	74,55	83	58	56	66	12
66-(A)T10-25/2	25	50	6F	79,75	77,7	83	60	56	66	12
66-(A)T10-26/2	26	50	6F	82,9	80,9	87	60	56	66	12
66-(A)T10-27/2	27	50	6F	86,1	84,1	91	60	56	66	12
66-(A)T10-28/2	28	50	6F	89,25	87,25	93	60	56	66	12
66-(A)T10-30/2	30	50	6F	95,65	93,65	97	60	56	66	12
66-(A)T10-32/2	32	50	6F	102	100	106	65	56	66	12
66-(A)T10-36/2	36	50	6F	114,75	112,75	120	70	56	66	16
66-(A)T10-40/2	40	50	6F	127,45	125,45	131	80	56	66	16
66-(A)T10-44/0	44	50	6	140,2	138,2	-	88	56	66	16
66-(A)T10-48/0	48	50	6	152,95	150,95	-	95	56	66	16
66-(A)T10-60/0	60	50	6	191,1	189,1	-	110	56	66	16